Zhengzhou Known Imp.& Exp.Co., Ltd. 郑州诺恩进出口有限公司

Mobile:+86-180 3730 6386
Email:info@knownmachine.com
Web:http://www.foodtruckfactory.cn/
Add:Room 1402,14th Floor,Building 3,No.131,Jianye Road,Jinshui
District,Zhengzhou City,Henan Provice,China



ADVERTISEMENT CONYBROCHURE



One-stop service concept, from design, production to delivery, You only need to provide your ideas and we will help you customize a complete programme that suits you



ABOUTUS







Zhengzhou Known Imp. & Exp. Co., Ltd., established in March 2011, as one professional manufacturer engaged in the Research, Development, Production, Sale and Service of Trailer, Truck, Tricycle, Toilet Trailer, Container Bar, Food Kiosk, Ice Cream Cart, and other related other devices.

Dedicated to strict quality control and thoughtful customer service, our experienced staff members are always available to discuss your requirements and welcome O E M and O D M orders, whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements, we will provide a full range of one-stop service from providing project proposals & design drawings to customized production, including the relevant equipment! Our factory has advanced equipment, strict quality inspection and fast delivery. Welcome to visit us and establish long terms business relation!



CONTENTS

About Us Our factory Our certification Our team Customer visit	01
Toilet Trailer Recommended style Custom case style	
More Information Standard configuration Options Order process Loading and shipment	03



OUR FACTORY

ZZKNOWN factory own the World Manufacturer Identifier code (WMI), which maintains a high level quality inspection & control, from materials, parts, frame, electric system, water system, fire-resistant, water-proof, inside, kitchen equipment layout & installation, polishing, spraying painting, packing and , shipping. Creating strong, long-lasting, attractive containers represent our basic principle. Through continual top quality, innovation and great service, we are , favored by more and more global customers every day. We will do all efforts to realize your dream!



OUR CERTIFICATION



We sincerely welcomecustomers from homeand abroad to visit usfor cooperation. Webelieve our companywill be your most reliable partner and friend. Yoursatisfaction is our greatest pursuit. I committed to providing customers with the best products



Our factory own the World Manufacturer Identifiercode (WMI). For the market of NorthAmerican, we have completed registration with United States Department of Transportation with DOT and VIN number; For the market of Europe, our products haspassed the CE certification and other related certifications. Our products selling well inall cities and provinces around China, and always exported to the United States, Canada, Australia, New Zealand, Italy, Spain, France, Arabia, United Arab Emirates, Chile and other countries.

























OUR TEAM

We have a professional technical, sales and service team, 7*24hours online to provide service for you! We will provide a full range of one-stop service from providing project proposals & design drawings to customized production, including the relevant equipment!



CUSTOMER VISIT

















 $\mathbf{5}$








KN-220CS	
Body Size (L*W*H)	2200*2100*2550mm (7.21'x6.89'x8.36' ft)
Weight(kg)	850kg
Layout	2 Toilets + 1 Mechanical room
Package	40HQ container will fit in 5 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-350CS-1	
Body Size (L*W*H)	3500*2100*2550mm (11.48'x6.89'x8.36' ft)
Weight(kg)	1000kg
Layout	4 Toilets + 1 Mechanical room
Package	40HQ container will fit in 3 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)

 $\mathbf{9}$








KN-360CS-1	
Body Size (L*W*H)	3600*1700*2550mm (11.81'x5.57'x8.36' ft)
Weight(kg)	1000kg
Layout	2Toilets & 2 urinal + 1 Mechanical room
Package	40HQ container will fit in 3 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-430CS	
Body Size (L*W*H)	4300*2100*2550mm (14.1'x6.89'x8.36' ft)
Weight(kg)	1300kg
Layout	4 Toilets + 1 Mechanical room
Package	40HQ container will fit in 2 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-580CS	
Body Size (L*W*H)	5800*2100*2550mm (19'x6.89'x8.36' ft)
Weight(kg)	1500kg
Layout	5 Toilets & 2 urinal + 1 Mechanical room
Package	40HQ container will fit in 2 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)









KN-290CS-1	
Body Size (L*W*H)	2900*1800*2550mm (9.51'x5.91'x8.36' ft)
Weight(kg)	900kg
Layout	2 Toilets & 1 urinal + 1 Mechanical room
Package	40HQ container will fit in 4 units
MOQ	1 unit

Main Advantage:

- 1. Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2. Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.










KN-290CS-2	
Body Size (L*W*H)	2900*1800*2550mm (9.51'x5.91'x8.36' ft)
Weight(kg)	900kg
Layout	2 Toilets & 1 urinal + 1 Mechanical room
Package	40HQ container will fit in 4 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-350CS-2	
Body Size (L*W*H)	3500*1500*2550mm (11.48'x4.92'x8.36' ft)
Weight(kg)	1000kg
Layout	2 Toilets + 1 Mechanical room
Package	40HQ container will fit in 3 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-360CS-2	
Body Size (L*W*H)	3600*2100*2550mm (11.81'x6.89'x8.36' ft)
Weight(kg)	1000kg
Layout	2 Toilets + 1 Mechanical room
Package	40HQ container will fit in 3 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-420CS	
Body Size (L*W*H)	4200*2200*2300mm (13.78'x7.22'x8.36' ft)
Weight(kg)	1300kg
Layout	4 Toilets + 1 Mechanical room
Package	40HQ container will fit in 2 units
MOQ	1 unit

Main Advantage:

- 1. Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-480CS	
Body Size (L*W*H)	4800*2100*2550mm (15.75'x6.89'x8.36' ft)
Weight(kg)	1400kg
Layout	3 Toilets & 1 urinal + 1 Mechanical room
Package	40HQ container will fit in 2 units
MOQ	1 unit

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-500CS-1		
Body Size (L*W*H)	5000*1700*2550mm (16.4'x5.58'x8.36' ft)	
Weight(kg)	1400kg	
Layout	3 Toilets + 1 Mechanical room	
Package	40HQ container will fit in 2 units	
MOQ	1 unit	

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-500CS-2		
Body Size (L*W*H)	5000*2100*2550mm (16.4'x6.89'x8.36' ft)	
Weight(kg)	1400kg	
Layout	3 Toilets & 1 urinal + 1 Mechanical room	
Package	40HQ container will fit in 2 units	
MOQ	1 unit	

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.



(No matter the length or the internal layout, it all can be customized!)








KN-280CS		
Body Size (L*W*H)	2800*1700*2550mm (9.19'x5.58'x8.36' ft)	
Weight(kg)	800kg	
Layout	1Toilet + 1 Mechanical room	
Package	40HQ container will fit in 4 units	
MOQ	1 unit	

Main Advantage:

- 1.Mobile public toilets have the advantages of being mobile, combined, and convenient for transportation.
- 2.Water saving: it saves 10 times as much water as the traditional flushing toilet, and the water consumption for each time is ≤ 0.5L.
- 3.Energy saving: reduce sewage discharge, reduce the load of municipal sewage treatment plants by 80%, and save energy consumption.
- 4.Fresh air: when the excrement is sucked away, about 60 liters of air around the foreign body is sucked away, and the air is fresh and has no peculiar smell. 5.Stable performance: Adopt foreign imported accessories, and independently develop and integrate PLC control system, which is intelligent, stable, and simple to maintain.





(No matter the length or the internal layout, it all can be customized!)

STANDARD CONFIGURATION








































 $\frac{1}{3}$

OPTIONS Please choose if you need

Shower room configuration







Air conditioner





Solar panel



Water heater



Stainless steel wheels Retractable staircase










Choose your favorite color, then tell me the color number!

ORDER PROCESS

Contact with us



Sign contract & Pay deposit



Design drawing + Production



Pay balance + Shipment




Arrival

O5

ZZROWN

Good review







LOADING AND SHIPMENT









